

2019 FIELD REP WORKSHOP

WDATECP - DFRB

Dairy Field Supervisors
and
Eau Claire Office Staff





INTRODUCTIONS

- ❖ Field Supervisor Tyson Villarreal 920-342-7256
- ❖ Field Supervisor Jackie Owens 608-234-3120
- ❖ Field Supervisor Jim Pikka 715-610-4513
- ❖ License Program Associate Theresa Butterworth
715-829-3842
- ❖ License Program Associate Lyndsay Simmons
715-839-3707
- ❖ License Program Associate Julie Martin
715-830-5115



OVERVIEW OF WORKSHOP

- ❖ Expectations of Sanitarians
 - ❖ Expectations of Field Reps
 - ❖ Expectations of Producers
 - ❖ Dairy Plant Resource Manual
 - ❖ Requirements for Licensing a farm
 - ❖ Temporary Grade B License
 - ❖ Point of Sale
 - ❖ Out of Business and Plant Transfers
- 



What can a Milk Producer expect from a DATCP Sanitarian?

- ❖ Respectful and courteous behavior
- ❖ Truthful communication and honesty about intentions
- ❖ Willingness to explain all inspection activities and why they're being done
- ❖ Good faith effort to accurately explain regulatory requirements
- ❖ Willingness to explain non-compliance findings, including the reason for the food safety or regulatory concern
- ❖ Immediate intervention to prevent product contamination, adulteration, or misbranding



What does a DATCP Sanitarian expect from a Milk Producer?

- ❖ Respectful and courteous behavior
- ❖ Good faith effort to comply with regulatory requirements
- ❖ Willingness to discuss the producer's operations
- ❖ Corrective action to prevent product contamination, adulteration, or misbranding
- ❖ Acknowledgement of all non-compliance findings - fix it now, tell when you intend to fix it or accept a reinspection/degrade, but don't ignore it.

PERFORMANCE-BASED FARM INSPECTIONS

Date

Months of History Included

March 1

February 1 last year through January 31 of this year.

June 1

May 1 last year through April 30 of this year.

September 1

August 1 last year through July 31 this year.

December 1

November 1 last year through October 31 this year.

ONCE EVERY 3 MONTHS

- ❖ Site Suspension
- ❖ Drug Residue Permit Suspension
- ❖ SCC Permit Suspension
- ❖ SPC Permit Suspension
- ❖ Temperature Suspension
- ❖ Two Notice of Re-Inspections
- ❖ Two Positive Drug Residue
- ❖ Two SCC Confirmed IR
- ❖ Two SPC Confirmed IR >750,000
- ❖ Two Confirmed IR

ONCE EVERY 4 MONTHS

- ❖ One Notice of Re-Inspection
- ❖ One Positive Drug Residue
- ❖ One SCC Confirmed IR
- ❖ One SPC Confirmed IR >750,000
- ❖ Two SCC 2 of 4 Warning Letters
- ❖ Two SPC 2 of 4 Warning Letters
- ❖ Two Temperature 2 of 4 Warning Letters
- ❖ Two SCC & SPC 2 of 4 Warning Letters
- ❖ Two SCC & Temp 2 of 4 Warning Letters
- ❖ Two SPC & Temp 2 of 4 Warning Letters
- ❖ Current Water Supply Unsafe

ONCE EVERY 6 MONTHS

- ❖ One SCC 2 of 4 Warning Letters
- ❖ One SPC 2 of 4 Warning Letters
- ❖ One Temperature 2 of 4 Warning Letters
- ❖ One SCC >500,000
- ❖ One SPC >100,000
- ❖ Two SPC >25,000 but ≤100,000
- ❖ One Temperature >45°F
- ❖ History less than 12 months

ONCE EVERY 12 MONTHS

❖ One SPC $>25,000$ but $\leq 100,000$

❖ Good Job

MILK QUALITY

	<u>Grade A</u>	<u>Grade B</u>
Standard Plate Count (SPC)	≤100,000/ml	≤300,000/ml
Somatic Cell Count (SCC)	≤750,000/ml	≤750,000/ml
Temperature		
2 hours after milking	≤45°F	≤45°F (cans: ≤50°F)
Within 2 hours milking	≤50°F	≤50°F

FARM LICENSING REQUIREMENTS

- ❖ Current water sample-Multiple wells?
- ❖ Preinspection report of field rep-be honest
- ❖ Dairy Producer Application
 - ❖ Filled out completely and legible.
 - ❖ Well distances properly filled out
 - ❖ All Necessary Signatures
- ❖ SSN or Religious Exemption
- ❖ Field Rep will be required to accompany Sanitarian
 - ❖ If Sanitarian requests

TEMPORARY GRADE B LICENSE

- ❖ Only under unusual circumstances
- ❖ Sanitarian is unable to license farm at a convenient time
- ❖ Call Eau Claire Office and request Grade B license
- ❖ Farm needs to be in compliance with ATCP 65 prior to requesting temporary.
- ❖ A religious exemption application needs to be sent to the Eau Claire office prior to issuance of a temporary license.

PLANT TO PLANT TRANSFER

- ❖ Fill out Producer Application –Properly filled out
- ❖ Send to Eau Claire Office within 3 business days of 1st pickup
- ❖ Send results of 1st pick up to Eau Claire within 7 days
 - ❖ Drug residue
 - ❖ SCC
 - ❖ SPC
 - ❖ Temperature

OUT OF BUSINESS

- ❖ Fill out an Out of Business status change form.
- ❖ Submit to the Eau Claire office within 3 days of the event.

POINT OF SALE

- ❖ Multiple Farm Pickup-
 - ❖ At the time milk is pumped on milk truck
- ❖ Direct Ship Tanker
 - ❖ At the time the tanker leaves the farm

DRIP SAMPLERS-OFFICIAL TEST

- ❖ Must have an approved plan prior to installation
- ❖ Complete Milk Handling Application (F-fd-31)
- ❖ Mail in with \$25
- ❖ Include the in line sampler Model
- ❖ Page 142 of the 2017 PMO
- ❖ M-I-1-06-6
- ❖ Samples must be collected by a licensed BMWS


COMPLIANCE LETTER FOR WELLS

- ❖ Check well distances
- ❖ Check well head height
- ❖ What do you do if out of compliance?
- ❖ Certified Well driller / Licensed Pump Installer
- ❖ DNR

WORK WITH SANITARIANS

- ❖ Contact your local Sanitarian
 - ❖ Ride together for a day
 - ❖ Doing farms that are assigned to your plant
 - ❖ Get to know each other
 - ❖ Ask questions

DATCP Dairy Inspection Territories, Aug. 2019



Supervisor: Jackie Owens, 608-234-3120

Sanitarian	Phone
Amy Bender	608-206-3820
James Jahr	715-538-3119
Vacant	
Garret Miller	715-279-3105
Clement Dressler	608-566-4644
Randolph Hassenfelt	608-346-2245
Craig Warminski	608-377-2918

Supervisor: Tyson Villareal, 920-342-7256

Sanitarian	Phone
Laurie Sippel	920-517-0086
All Finstad	262-229-5125
Sidney Kattelton	920-360-4903
Christina Zabel	608-712-7651
John Fixmer	920-723-3781
Jacob Moldenhauer	920-312-0256
Josh Fangmann	920-396-0081

Supervisor: James Pikka, 715-610-4513

Sanitarian	Phone
Ashley Ruzic	715-351-9020
Mary Ryan	715-281-6759
Jill Artac	715-819-0306
Kimberely Schnell	715-965-0322
Jason Wood	608-215-2782
Alex Sobeck	715-416-0646
Martin Groell	715-533-8747

TANKER ROLLOVERS

- ❖ MUST contact the department
- ❖ Emergency Response Coordinator
 - ❖ Jim Beix 608-244-4665
 - ❖ datcpfoodcomplaintsemergencyresponse@wisconsin.gov
 - ❖ After hours 800-943-0003
- ❖ Instructions on how to handle the milk will be given

QUESTIONS?



THANK YOU